

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2012²

Nature	Nature code ³	Local government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Total		181,060	74,030	9,910	11,630	1,450	330	740	260	80	82,640
Traumatic injuries and disorders	1	173,830	71,290	9,630	11,290	1,410	270	730	260	60	78,880
Traumatic injuries and disorders, unspecified	10	3,680	1,820	600	60	—	—	—	—	—	1,160
Traumatic injuries to bones, nerves, spinal cord	11	10,050	5,230	360	720	40	—	40	—	—	3,650
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	70	50	—	—	—	—	—	—	—	20
Fractures	111	9,720	5,000	350	720	40	—	30	—	—	3,560
Traumatic injuries to spinal cord	112	40	20	—	—	—	—	—	—	—	20
Traumatic injuries to spinal cord, unspecified	1120	20	—	—	—	—	—	—	—	—	20
Traumatic injuries to spinal cord, n.e.c.	1129	20	20	—	—	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord	113	200	140	—	—	—	—	—	—	—	50
Pinched nerve	1131	200	140	—	—	—	—	—	—	—	50
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	80,130	30,660	4,220	5,620	620	140	320	80	30	38,440
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	650	430	40	80	—	—	—	—	—	90
Dislocations	121	1,580	830	50	30	—	—	—	—	—	660
Dislocations, unspecified	1210	140	80	—	—	—	—	—	—	—	50
Herniated discs	1211	360	230	20	—	—	—	—	—	—	100
Dislocation of joints	1212	1,020	510	20	—	—	—	—	—	—	480
Dislocations, n.e.c.	1219	50	20	—	—	—	—	—	—	—	30
Cartilage fractures and tears	122	860	560	—	90	—	—	—	—	—	200
Cartilage fractures and tears, unspecified	1220	20	—	—	—	—	—	—	—	—	—
Meniscus tears	1221	760	470	—	80	—	—	—	—	—	190
Cartilage fractures and tears, n.e.c.	1229	90	80	—	—	—	—	—	—	—	—
Sprains, strains, tears	123	75,740	28,120	4,070	5,370	610	140	300	40	30	37,050
Sprains, strains, tears, unspecified	1230	5,450	2,050	180	260	20	—	—	—	—	2,930
Major tears to muscles, tendons, ligaments	1231	3,020	1,670	190	130	20	—	—	—	—	980
Sprains	1232	19,890	7,290	1,180	1,350	110	—	—	—	—	9,870
Strains	1233	45,210	16,080	2,430	3,560	460	90	200	20	20	22,340
Multiple sprains, strains, tears	1238	2,170	1,040	90	70	—	—	—	—	—	930
Hernias due to traumatic incidents	124	1,040	600	30	40	—	—	—	—	—	380
Whiplash	125	120	70	—	—	—	—	—	—	—	30
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	120	30	—	—	—	—	—	—	—	30
Open wounds	13	11,130	5,270	350	330	90	—	20	—	—	5,060
Open wounds, unspecified	130	130	60	—	—	—	—	—	—	—	30
Amputations, avulsions, enucleations	131	270	150	—	—	—	—	—	—	—	100
Amputations	1311	150	90	—	—	—	—	—	—	—	50
Avulsions, enucleations	1312	110	60	—	—	—	—	—	—	—	40
Cuts, lacerations	132	7,590	3,690	250	240	90	—	—	—	—	3,300
Puncture wounds, except gunshot wounds	133	2,910	1,180	90	40	—	—	—	—	—	1,590
Gunshot wounds	134	230	190	—	—	—	—	—	—	—	40
Surface wounds and bruises	14	19,100	6,830	1,090	1,130	170	50	70	—	—	9,760
Surface wounds and bruises, unspecified	140	190	80	—	—	—	—	—	—	—	100

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Abrasions, scratches	141	1,490	800	120	70	30	—	—	—	—	470
Blisters	142	100	—	—	—	—	—	—	—	—	100
Bruises, contusions	143	16,420	5,370	890	1,060	140	50	70	—	—	8,840
Multiple surface wounds and bruises	148	650	400	30	—	—	—	—	—	—	220
Surface wounds and bruises, n.e.c.	149	250	170	50	—	—	—	—	—	—	20
Burns and corrosions	15	2,760	870	460	90	—	—	20	—	—	1,300
Burns and corrosions, unspecified	150	90	90	—	—	—	—	—	—	—	—
Chemical burns and corrosions	151	240	110	20	20	—	—	—	—	—	90
Chemical burns and corrosions, unspecified	1510	220	110	20	20	—	—	—	—	—	70
Heat (thermal) burns	152	2,300	590	440	70	—	—	20	—	—	1,160
Heat (thermal) burns, unspecified	1520	1,670	290	390	60	—	—	20	—	—	900
First degree heat (thermal) burns	1521	180	100	—	—	—	—	—	—	—	80
Second degree heat (thermal) burns	1522	310	150	40	—	—	—	—	—	—	100
Third or fourth degree heat (thermal) burns	1523	20	—	—	—	—	—	—	—	—	—
Heat (thermal) burns, n.e.c.	1529	130	50	—	—	—	—	—	—	—	80
Electrical burns	153	110	70	—	—	—	—	—	—	—	40
Electrical burns, unspecified	1530	100	60	—	—	—	—	—	—	—	40
Other burns	159	20	—	—	—	—	—	—	—	—	—
Intracranial injuries	16	1,720	1,170	60	40	—	—	—	—	—	440
Intracranial injuries, unspecified	160	170	110	—	—	—	—	—	—	—	50
Concussions	162	1,520	1,050	50	40	—	—	—	—	—	380
Effects of environmental conditions	17	690	300	60	50	—	—	—	—	—	280
Effects of heat and light	172	680	290	60	50	—	—	—	—	—	270
Effects of heat and light, unspecified	1720	30	—	—	—	—	—	—	—	—	—
Heat stroke	1721	40	20	—	—	—	—	—	—	—	30
Heat syncope	1722	20	—	—	—	—	—	—	—	—	20
Heat fatigue	1723	50	—	—	—	—	—	—	—	—	40
Heat exhaustion, prostration	1725	320	180	20	40	—	—	—	—	—	80
Effects of heat and light, n.e.c.	1729	210	90	—	—	—	—	—	—	—	80
Multiple traumatic injuries and disorders	18	7,260	2,970	280	580	280	—	30	—	—	3,120
Multiple traumatic injuries and disorders, unspecified	180	650	130	30	80	—	—	—	—	—	410
Cuts and abrasions or bruises	181	1,560	450	30	130	270	—	—	—	—	680
Sprains and other injuries	182	3,440	1,350	160	340	—	—	—	—	—	1,570
Sprains and other injuries, unspecified	1820	240	180	—	—	—	—	—	—	—	20
Sprains and bruises	1821	2,480	900	150	220	—	—	—	—	—	1,200
Sprains and cuts	1822	220	100	—	50	—	—	—	—	—	70
Sprains and other injuries, n.e.c.	1829	500	160	—	50	—	—	—	—	—	290
Fractures and other injuries	183	840	530	40	—	—	—	—	—	—	250
Fractures and other injuries, unspecified	1830	90	50	—	—	—	—	—	—	—	20
Fractures (except skull fractures) and concussions	1831	70	30	—	—	—	—	—	—	—	40
Fractures and dislocations	1834	30	—	—	—	—	—	—	—	—	20
Fractures and other injuries, n.e.c.	1839	640	430	20	—	—	—	—	—	—	160
Burns and other injuries, except fractures	184	90	60	—	—	—	—	—	—	—	30
Burns and other injuries, n.e.c.	1849	40	—	—	—	—	—	—	—	—	30
Multiple traumatic injuries and disorders, n.e.c.	189	680	460	20	20	—	—	—	—	—	180
Other traumatic injuries and disorders	19	37,310	16,180	2,130	2,670	170	70	230	180	—	15,670

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Other traumatic injuries and disorders, unspecified ...	190	50	—	20	—	—	—	—	—	—	—
Asphyxiations, strangulations, suffocations	191	30	—	—	—	—	—	—	—	—	30
Electrocutions, electric shocks	193	780	560	—	40	—	—	60	—	—	110
Dermatitis and reactions affecting the skin—acute ...	195	470	210	—	—	—	—	—	—	—	230
Dermatitis and reactions affecting the skin—acute, unspecified	1950	90	20	—	—	—	—	—	—	—	50
Allergic dermatitis—acute	1951	320	170	—	—	—	—	—	—	—	130
Irritant dermatitis—acute	1952	50	—	—	—	—	—	—	—	—	40
Other poisoning, toxic, noxious, or allergenic effects	196	1,840	820	60	60	—	—	—	—	—	890
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	620	250	30	—	—	—	—	—	—	320
Poisoning, including poisoning-related asphyxia	1961	190	60	—	—	—	—	—	—	—	110
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	590	270	—	20	—	—	—	—	—	290
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	—	—	—	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	80	40	—	—	—	—	—	—	—	40
Other or unspecified allergic reactions	1966	130	100	—	—	—	—	—	—	—	20
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	30	—	—	—	—	—	—	—	—	30
Multiple poisoning, toxic, noxious, or allergenic effects	1968	80	50	—	—	—	—	—	—	—	30
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	100	40	—	—	—	—	—	—	—	50
Nonspecified injuries and disorders	197	34,110	14,560	2,040	2,550	160	70	160	180	—	14,390
Crushing injuries	1971	1,090	440	40	160	—	—	—	—	—	450
Soreness, pain, hurt—nonspecified injury	1972	29,250	12,560	1,840	2,210	160	60	140	170	—	12,090
Swelling, inflammation, irritation—nonspecified injury	1973	2,710	1,250	110	140	—	—	—	—	—	1,190
Numbness—nonspecified injury	1974	150	30	—	—	—	—	—	—	—	110
Multiple nonspecified injuries and disorders	1978	730	200	40	20	—	—	—	—	—	480
Nonspecified injuries and disorders, n.e.c.	1979	180	80	—	20	—	—	20	—	—	60
Other traumatic injuries and disorders, n.e.c.	199	20	—	—	—	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	20	—	—	—	—	—	—	—	—	—
Diseases and disorders of body systems	2	2,920	1,440	90	180	—	—	—	—	—	1,190
Nervous system and sense organs diseases	22	1,030	570	40	40	—	—	—	—	—	370
Disorders of the peripheral nervous system	224	750	380	—	40	—	—	—	—	—	320
Carpal tunnel syndrome	2241	720	360	—	40	—	—	—	—	—	310
Disorders of the peripheral nervous system, n.e.c.	2249	20	—	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision	225	160	90	—	—	—	—	—	—	—	50
Disorders of the eye, adnexa, vision, unspecified	2250	20	—	—	—	—	—	—	—	—	—
Conjunctivitis—non-viral	2251	120	60	—	—	—	—	—	—	—	40
Disorders of the ear, mastoid process, hearing	226	100	80	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2012² — Continued

Nature	Nature code ³	Local govern- ment ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Disorders of the ear, mastoid process, hearing, unspecified	2260	20	20	—	—	—	—	—	—	—	—
Deafness, hearing loss and impairment	2261	80	60	—	—	—	—	—	—	—	—
Circulatory system diseases	23	330	90	—	—	—	—	—	—	—	220
Ischemic heart disease, including heart attack	233	270	50	—	—	—	—	—	—	—	210
Ischemic heart disease, unspecified	2330	20	—	—	—	—	—	—	—	—	20
Myocardial infarction (heart attack)	2331	240	50	—	—	—	—	—	—	—	190
Diseases of the veins, lymphatics	238	30	—	—	—	—	—	—	—	—	—
Hemorrhoids	2382	30	—	—	—	—	—	—	—	—	—
Respiratory system diseases	24	270	190	—	—	—	—	—	—	—	60
Acute respiratory infections (including common cold)	241	60	40	—	—	—	—	—	—	—	—
Pneumonia, influenza	243	140	90	—	—	—	—	—	—	—	40
Pneumonia, influenza, unspecified	2430	40	—	—	—	—	—	—	—	—	40
Pneumonia	2431	20	—	—	—	—	—	—	—	—	—
Influenza—common	2432	40	40	—	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	60	60	—	—	—	—	—	—	—	—
Asthma, except intrinsic	2443	60	50	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	25	220	60	—	40	—	—	—	—	—	130
Hernia—nontraumatic	253	220	60	—	40	—	—	—	—	—	130
Musculoskeletal system and connective tissue diseases and disorders	27	860	430	40	70	—	—	—	—	—	310
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	20	—	—	—	—	—	—	—	—	—
Arthropathies and related disorders (arthritis)	271	40	—	—	—	—	—	—	—	—	—
Dorsopathies	272	40	30	—	—	—	—	—	—	—	—
Sciatica	2721	30	20	—	—	—	—	—	—	—	—
Soft tissue disorders, except the back	273	760	350	20	70	—	—	—	—	—	300
Soft tissue disorder, except the back, unspecified	2730	20	—	—	—	—	—	—	—	—	—
Bursitis	2731	100	100	—	—	—	—	—	—	—	—
Stenosing tenosynovitis	2732	110	50	—	—	—	—	—	—	—	40
Other tenosynovitis, synovitis	2733	20	—	—	—	—	—	—	—	—	—
Epicondylitis	2734	100	30	—	—	—	—	—	—	—	30
Other or unspecified tendonitis (tendinitis)	2735	250	50	—	—	—	—	—	—	—	160
Ganglion or cystic tumor	2736	40	20	—	—	—	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	2739	120	90	—	—	—	—	—	—	—	30
Disorders of the skin and subcutaneous tissue	28	180	100	—	—	—	—	—	—	—	70
Infections of the skin and subcutaneous tissue	281	160	100	—	—	—	—	—	—	—	60
Infections of the skin and subcutaneous tissue, unspecified	2810	60	50	—	—	—	—	—	—	—	—
Cellulitis and abscess	2811	40	—	—	—	—	—	—	—	—	40
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	40	40	—	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	2819	20	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Other diseases and disorders of the skin and subcutaneous tissue	289	20	—	—	—	—	—	—	—	—	—
Other systemic diseases and disorders	29	20	—	—	—	—	—	—	—	—	20
Infectious and parasitic diseases	3	230	60	—	90	—	—	—	—	—	80
Bacterial diseases	31	120	30	—	80	—	—	—	—	—	—
Other bacterial diseases	319	80	30	—	—	—	—	—	—	—	—
Diphtheria, whooping cough	3192	30	30	—	—	—	—	—	—	—	—
Viral diseases	32	50	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	39	40	—	—	—	—	—	—	—	—	30
Scabies and other acariases	392	30	—	—	—	—	—	—	—	—	20
Neoplasms, tumors, and cancers	4	60	—	—	—	—	—	—	—	—	50
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	60	—	—	—	—	—	—	—	—	50
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas), unspecified	410	20	—	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	1,250	590	60	—	—	50	—	—	—	530
Symptoms, signs, and ill-defined conditions, unspecified	50	50	40	—	—	—	—	—	—	—	—
Symptoms	51	1,180	530	60	—	—	50	—	—	—	520
Symptoms, unspecified	510	50	—	—	—	—	—	—	—	—	50
General symptoms	511	500	250	—	—	—	50	—	—	—	180
Loss of consciousness—not heat related	5111	280	160	—	—	—	—	—	—	—	110
Dizziness—general	5114	80	40	—	—	—	—	—	—	—	40
Multiple general symptoms	5118	120	40	—	—	—	—	—	—	—	20
Symptoms involving head and neck	514	110	40	—	—	—	—	—	—	—	70
Headache, except migraine	5141	90	30	—	—	—	—	—	—	—	60
Symptoms involving cardiovascular system	515	100	70	—	—	—	—	—	—	—	30
Symptoms involving cardiovascular system, unspecified	5150	40	20	—	—	—	—	—	—	—	—
Unspecified tachycardia (rapid heartbeat)	5151	30	20	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	5159	30	30	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	290	100	40	—	—	—	—	—	—	150
Symptoms involving respiratory system and chest, unspecified	5160	50	20	30	—	—	—	—	—	—	—
Chest pain	5164	170	50	—	—	—	—	—	—	—	110
Symptoms involving respiratory system and chest, n.e.c.	5169	60	30	—	—	—	—	—	—	—	30
Symptoms involving digestive and urinary system	517	80	70	—	—	—	—	—	—	—	—
Multiple symptoms	518	40	—	—	—	—	—	—	—	—	30
Other diseases, conditions, and disorders	6	1,800	450	80	30	—	—	—	—	—	1,230
Mental disorders and syndromes	62	1,800	450	80	30	—	—	—	—	—	1,230
Mental disorders and syndromes, unspecified	620	150	—	—	—	—	—	—	—	—	130

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Anxiety, stress	621	1,620	430	80	30	—	—	—	—	—	1,060
Anxiety, stress, unspecified	6210	790	110	40	20	—	—	—	—	—	620
Post-traumatic stress disorder	6211	490	90	20	—	—	—	—	—	—	370
Anxiety, stress, n.e.c.	6219	330	230	20	—	—	—	—	—	—	70
Depression or depressive episode	622	30	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Exposures to disease—no illness incurred	7	200	20	—	—	—	—	—	—	—	180
Multiple diseases, conditions, and disorders	8	140	20	50	—	—	—	—	—	—	70
Nonclassifiable	9999	630	140	—	30	—	—	—	—	—	440

1 Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

2 Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

3 Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

4 Excludes farms with fewer than 11 employees.

5 Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.